

**NAME** break -- set program break

**SYNOPSIS** sys break; addr / break = 17.

**DESCRIPTION** break sets the system's idea of the highest location used by the program to addr. Locations greater than addr and below the stack pointer are not swapped and are thus liable to unexpected modification.

If the argument is 0 or higher than the stack pointer the entire 4K word user core area is swapped.

When a program begins execution via exec the break is set, at the highest location defined by the program and data storage areas. Ordinarily, therefore, only programs with growing data areas need to use break.

**FILES**

**SEE ALSO** exec

**DIAGNOSTICS** none; strange addresses cause the break to be set to include all of core.

**BUGS**

**OWNER** ken, dmr

11/3/71

SYS CEMT (II)

**NAME**                    cemt -- catch emt traps

**SYNOPSIS**                sys            cemt; arg / cemt = 29.; not in assembler

**DESCRIPTION**            This call allows one to catch traps resulting from the emt instruction. Arg is a location within the program; emt traps are sent to that location. The normal effect of emt traps may be restored by giving an arg equal to 0.

                          Prior to the use of this call, the result of an emt instruction is a simulated rts instruction. The operand field is interpreted as a register, and an rts instruction is simulated for that register (after verifying that various registers have appropriate values). This feature is useful for debugging, since the most dangerous program bugs usually involve an rts with bad data on the stack or in a register.

**FILES**

**SEE ALSO**

**DIAGNOSTICS**

**BUGS**

**OWNER**                    ken, dmr

11/3/71

SYS CHDIR (II)

NAME chdir -- change working directory

SYNOPSIS sys chdir; dirname / chdir = 12.

DESCRIPTION dirname is address of the pathname of a directory, terminated by a 0 byte. chdir causes this directory to become the current working directory.

FILES

SEE ALSO

DIAGNOSTICS The error bit (c-bit) is set if the given name is not that of a directory.

BUGS

OWNER ken, dmr

11/3/71

SYS CHMOD (II)

NAME chmod -- change mode of file

SYNOPSIS sys chmod; name; mode / chmod = 15.

DESCRIPTION The file whose name is given as the null-terminated string pointed to by name has its mode changed to mode. Modes are constructed by oring together some combination of the following:

- 01 write, non-owner
- 02 read, non-owner
- 04 write, owner
- 10 read, owner
- 20 executable
- 40 set user ID on execution

Only the owner of a file (or the super-user) may change the mode.

FILES

SEE ALSO

DIAGNOSTICS Error bit (c-bit) set if name cannot be found or if current user is neither the owner of the file nor the super-user.

BUGS

OWNER ken, dmr

11/3/71

SYS CHOWN (II)

NAME                    chown -- change owner of file

SYNOPSIS                sys            chown; name; owner            / chown = 16.

DESCRIPTION            The file whose name is given by the null-terminated string pointed to by name has its owner changed to owner. Only the present owner of a file (or the super-user) may donate the file to another user. Also, one may not change the owner of a file with the set-user-ID bit on, otherwise one could create Trojan Horses able to misuse other's files.

FILES

SEE ALSO                /etc/uids has the mapping between user names and user numbers.

DIAGNOSTICS            The error bit (c-bit) is set on illegal owner changes.

BUGS

OWNER                   ken, dmr

11/3/71

SYS CLOSE (II)

NAME                   close -- close a file

SYNOPSIS               (file descriptor in r0)  
sys           close                   / close = 6.

DESCRIPTION            Given a file descriptor such as returned from an open or  
                        creat call, close closes the associated file. A close of  
                        all files is automatic on exit, but since processes are  
                        limited to 10 simultaneously open files, close is  
                        necessary to programs which deal with many files.

FILES

SEE ALSO               creat, open

DIAGNOSTICS           The error bit (c-bit) is set for an unknown file  
                        descriptor.

BUGS

OWNER                  ken, dmr

**NAME** creat -- create a new file

**SYNOPSIS** sys creat; name; mode / creat = 8.  
(file descriptor in r0)

**DESCRIPTION** creat creates a new file or prepares to rewrite an existing file called name; name is the address of a null-terminated string. If the file did not exist, it is given mode mode; if it did exist, its mode and owner remain unchanged but it is truncated to 0 length.

The file is also opened for writing, and its file descriptor is returned in r0.

The mode given is arbitrary; it need not allow writing. This feature is used by programs which deal with temporary files of fixed names. The creation is done with a mode that forbids writing. Then if a second instance of the program attempts a creat, an error is returned and the program knows that the name is unusable for the moment. If the last link to an open file is removed, the file is not destroyed until the file is closed.

**FILES**

**SEE ALSO** write, close

**DIAGNOSTICS** The error bit (c-bit) may be set if: a needed directory is not readable; the file does not exist and the directory in which it is to be created is not writable; the file does exist and is unwritable; the file is a directory.

**B UGS**

**OWNER** ken, dmr

NAME                                   exec --execute a file

SYNOPSIS                               sys                   exec; name; args                   / exec = 11.

                                      name: <...\0>

                                      ...

                                      args: arg1; arg2; ...; 0

                                      arg1: <...\0>

                                      ...

DESCRIPTION

exec overlays the calling process with the named file, then transfers to the beginning of the core image of the file. The first argument to exec is a pointer to the name of the file to be executed. The second is the address of a list of pointers to arguments to be passed to the file. Conventionally, the first argument is the name of the file. Each pointer addresses a string terminated by a null byte.

There can be no return from the file; the calling core image is lost.

The program break is set from the executed file; see the format of a.out.

Once the called file starts execution, the arguments are passed as follows. The stack pointer points to the number of arguments. Just above this number is a list of pointers to the argument strings.

```

sp-> nargs

           arg1
           ...
           argn

arg1: <arg1\0>
...
argn: <argn\0>

```

The arguments are placed as high as possible incore: just below 60000(8).

Files remain open across exec calls. However, the illegal instruction, emt, quit, and interrupt trap specifications are reset to the standard values. (See ilgins, cemt, intr).

Each user has a real user ID and an effective (The real ID identifies the person using the system; the effective ID determines his access privileges.) exec changes the effective user ID to the owner of the executed file if the file has the "set-user-ID mode. The real user ID is not affected.



11/3/71

SYS EXEC (II)

FILES

SEE ALSO           fork

DIAGNOSTICS        If the file cannot be read or if it is not executable, a return from exec constitutes the diagnostic. The error bit (c-bit) is set.

BUGS

OWNER             ken, dmr

11/3/71

SYS EXIT (II)

NAME                    exit -- terminate process

SYNOPSIS                sys        exit        / exit = I

DESCRIPTION            exit is the normal means of terminating a process. All  
files are closed and the parent process is notified if it  
is executing a wait.

                        This call can never return.

FILES

SEE ALSO                sys wait

DIAGNOSTICS            --

BUGS

OWNER                   ken, dmr

11/3/71

SYS FORK (II)

**NAME** fork -- spawn new process

**SYNOPSIS** sys fork / fork = 2.  
(new process return)  
(old process return)

**DESCRIPTION** fork is the only way new processes are created. The new process's core image is a copy of that of the caller of fork the only distinction is the return location and the fact that r0 in the old process contains the process ID of the new process. This process ID is used by wait.

**FILES**

**SEE ALSO** sys wait, sys exec

**DIAGNOSTICS** The error bit (c-bit) is set in the old process if a new process could not be created because of lack of swap space.

**BUGS** See wait for a subtle bug in process destruction.

**OWNER** ken, dmr

11/3/71

SYS FSTAT (II)

**NAME** fstat -- get status of open file

**SYNOPSIS** (file descriptor in r0)  
sys fstat; buf / fstat = 28.

**DESCRIPTION** This call is identical to stat, except that it operates on open files instead of files given by name. It is most often used to get the status of the standard input and output files, whose names are unknown.

**FILES**

**SEE ALSO** sys stat

**DIAGNOSTICS** The error bit (c-bit) is set if the file descriptor is unknown.

**BUGS**

**OWNER** ken, dmr

11/3/71

SYS GETUID (II)

**NAME**                   getuid -- get user identification

**SYNOPSIS**               sys        getuid / getuid = 24.  
                         (user ID in r0)

**DESCRIPTION**           getuid returns `the real user ID of the current process.  
The real user ID identifies the person who is logged in,  
in contradistinction to the effective user ID, which  
determines his access permission at each moment. It is  
thus useful to programs which operate using the "set user  
ID" mode, to find out who invoked them.

**FILES**                 /etc/uids can be used to map the user ID number into a  
                         name.

**SEE ALSO**               setuid

**DIAGNOSTICS**

**BUGS**

**OWNER**                 ken, dmr

11/3/71

SYS GTTY (II)

**NAME** gtty -- get typewriter status

**SYNOPSIS** (file descriptor in r0)  
sys gtty; arg / gtty = 32.; not in assembler  
...  
arg: .+.6

**DESCRIPTION** gtty stores in the three words addressed by arg the status of the typewriter whose file descriptor is given in r0. The format is the same as that passed by stty.

**FILES**

**SEE ALSO** stty

**DIAGNOSTICS** Error bit (c-bit) is set if the file descriptor does not refer to a typewriter.

**BUGS**

**OWNER** ken, dmr

11/3/71

SYS ILGINS (II)

NAME                    ilgins -- catch illegal instruction trap

SYNOPSIS                sys ilgins; arg / ilgins = 33.; not in assembler

DESCRIPTION            ilgins allows a program to catch illegal instruction traps. If arg is zero, the normal instruction trap handling is done: the process is terminated and a core image is produced. If arg is a location within the program, control is passed to arg when the trap occurs.

                         This call is used to implement the floating point simulator, which catches and interprets 11/45 floating point instructions.

FILES

SEE ALSO                fptrap, the floating point package

DIAGNOSTICS

BUGS

OWNER                   ken, dmr

11/3/71

SYS INTR (II)

NAME intr -- set interrupt handling

SYNOPSIS sys intr; arg / intr = 27.

DESCRIPTION

When arg is 0, interrupts (ASCII DELETE) are ignored. When arg is 1, interrupts cause their normal result, that is, force an exit. When arg is a location within the program, control is transferred to that location when an interrupt occurs.

After an interrupt is caught, it is possible to resume execution by means of an rti instruction; however, great care must be exercised, since all I/O is terminated abruptly upon an interrupt. In particular, reads of the typewriter tend to return with 0 characters read, thus simulating an end of file.

FILES

SEE ALSO quit

DIAGNOSTICS

BUGS

It should be easier to resume after an interrupt, but I don't know how to make it work.

OWNER ken, dmr



11/3/71

SYS LINK (II)

NAME link -- link to a file

SYNOPSIS sys link; name1 name2 / link = 9.

DESCRIPTION A link to name1 is created; the link has name name2. Either name may be an arbitrary path name.

FILES

SEE ALSO unlink

DIAGNOSTICS The error bit (c-bit) is set when name cannot be found; when name2 already exists; when the directory of name1 cannot be written; when an attempt is made to link to a directory by a user other than the super-user.

BUGS

OWNER ken, dmr

11/3/71

SYS MKDIR (II)

NAME                   mkdir -- make a directory

SYNOPSIS               sys mkdir; name; mode / mkdir = 14.

DESCRIPTION           mkdir creates an empty directory whose name is the null-terminated string pointed to by name. The mode of the directory is mode. The special entries "." and ".." are not present.

mkdir can only be invoked by the super-user.

FILES

SEE ALSO               mkdir command

DIAGNOSTICS           Error bit (c-bit) is set if the directory already exists or if the user is not the super-user.

B UGS

OWNER                  ken, dmr